



## **AUTOMOTIVE SUITE**

---

**Hardware Requirements**

# **Recommended Hardware And Operating System Configurations**

**Automotive Suite v4.5 (rev 01/11/05)**

**Cubique Development SRL**



## **AUTOMOTIVE SUITE**

### **Hardware Requirements**

#### **10 Users or Less Recommended Configuration**

##### **Server**

Single 2.8 GHz Pentium 4 XEON® CPU  
1GB of RAM  
2 x 36GB IDE Hard Drives; Mirrored  
40GB Tape Backup Unit w/ appropriate software  
CD-ROM  
Windows® XP Professional or Microsoft® Windows 2000 Server SP4 \*  
Microsoft® Database Engine (MSDE) or Microsoft® SQL Server 2000 Standard Edition  
Ethernet 100Mbps  
(\* ) This server should NOT be a domain controller

##### **Standard Workstations**

Pentium 3 CPU  
256MB of RAM  
20GB Hard Drive  
CD-ROM  
Windows® 98/Me/2K/XP

#### **10-30 Users and up Recommended Configuration**

##### **Server**

Industry recognized manufacturer (IBM, Dell, Compaq or HP)  
Dual Quad 2.8 GHz Pentium 4 XEON® CPUs  
2GB of RAM  
3 x 36GB 15KRPM U320 SCSI Hard Drives –Striped with Parity using Hardware RAID Controller  
40GB SCSI Tape Backup Unit w/ appropriate software  
CD-ROM  
Microsoft® Windows 2000 Server or 2003 Server \*  
Microsoft® SQL Server 2000 Standard or Enterprise Edition  
Ethernet 100Mbps  
(\* ) This server should NOT be a domain controller

##### **Standard Workstations**

1.8 GHz Pentium 4 CPU  
256MB of RAM  
40GB Hard Drive  
CD-ROM  
Windows® 98/Me/2K/XP



## **AUTOMOTIVE SUITE**

### **30-50 Users and up Recommended Configuration**

#### **Hardware Requirements**

#### **Server**

Industry recognized manufacturer (IBM, Dell, Compaq or HP)  
Dual or Quad 2.8 GHz Pentium 4 XEON® CPUs  
2-4 GB of RAM  
8 x 36GB 15KRPM U320 SCSI Hard Drives –Striped with Parity using Hardware RAID Controller  
80-100GB SCSI Tape Backup Unit w/ appropriate software  
CD-ROM  
Microsoft® Windows 2000 Server or 2003 Server \*  
Microsoft® SQL Server 2000 Enterprise Edition  
GigabitEthernet  
(\* ) This server should NOT be a domain controller

#### **Standard Workstations**

1.8 GHz Pentium 4 CPU  
256MB of RAM  
40GB Hard Drive  
CD-ROM  
Windows® 98/Me/2K/XP

### **100 Users and up Recommended Configuration**

#### **Server**

Industry recognized manufacturer (IBM, Dell, Compaq or HP)  
Dual or Quad 3 GHz XEON® CPUs  
4-8 GB of RAM  
8 x 36GB 15KRPM U320 SCSI Hard Drives –Striped with Parity using Hardware RAID Controller  
80-100GB SCSI Tape Backup Unit w/ appropriate software  
CD-ROM  
Microsoft® Windows 2000 Server or 2003 Server \*  
Microsoft® SQL Server 2000 Enterprise Edition  
GigabitEthernet  
(\* ) This server should NOT be a domain controller

#### **Standard Workstations**

1.8 GHz Pentium 4 CPU  
512MB of RAM  
40GB Hard Drive  
CD-ROM  
Windows® 98/Me/2K/XP